



YellowGo®

**DYE REMOVER /
RESIDUAL STAIN
REMOVER**

YellowGo®

YellowGo® removes unwanted dye of any color. YellowGo can also be used to remove the last traces of ink and many other residual stains.

YellowGo is a Titanium Sulfate based reducing bleach, and is packaged in Gallons and Quarts.

YellowGo to the Rescue!

YellowGo recovers dye-stained fabric by removing unwanted dye. Results on whites are excellent. On colors, YellowGo may take out the color you want to keep. But if it removes the unwanted dye without damaging the underlying color, you win! You won't have to pay for the goods and you won't disappoint your customers.

YellowGo can be used in a washing machine for a dye-transfer load, in a pail for rescuing individual garments, or on the spotting board for a localized dye-stain or the last traces of ink or residual stain. YellowGo has the strength and staying power to take out the very toughest dye stains. Yet a skilled operator can harness that power for effective use on delicates.

When faced with a dye transfer, use YellowGo to keep more of your customers happy and coming back.

Note: YellowGo often throws sediment that can be found in the bottom of the bottle. This material is responsible for stabilizing YellowGo while it is still in its bottle. These stabilizers work equally well while in solution or as sediment. Having this sediment fall out of solution does not damage the YellowGo in any way.

YellowGo®

*... The Best Way to Rescue
Dye-Stained Garments*

Refer to back for directions.



DYE STRIPPING DIRECTIONS

Refer to YellowGo bottle and Material Safety Data Sheet for warnings and more information.

The hotter you make YellowGo solution, the faster and more effective it becomes. Use hotter solution on white fabric. Use cooler solution on colored fabric, to protect original colors.

To remove dye stains in laundry washwheel:

Rinse load thoroughly.

Fill wheel to low level with hot water, and add 1 to 2 oz. of YellowGo for every gallon of water.

Run until unwanted dye disappears.

Rinse thoroughly.

To remove dye stains outside washwheel:

Rinse fabric in warm water.

In a clean plastic container, prepare enough solution (1 to 2 oz. YellowGo for every gallon of warm water) to allow free movement of fabric.

Soak fabric in YellowGo solution, stirring occasionally, until unwanted dye disappears.

Rinse thoroughly with water.

To remove small dye stains at spotting board:

Prepare solution of 1 part YellowGo to 20 parts cool water in clean spotting bottle.

Flush stained area with cool water.

Apply YellowGo solution to stained area and let stand until unwanted dye disappears.

Rinse thoroughly with water.

* * *

Before using YellowGo solution on colored fabric, test on a hidden seam to see if original color is affected. Cooler YellowGo solution will usually remove unwanted dye before affecting original color. If original color is affected, rinse immediately, then soak in dilute solution of ammonia until original color is restored.

When using YellowGo on wool, silk or synthetic fabrics, add enough RustGo[®] to the YellowGo solution to turn it pale green.

Dye Problem? **YellowGo®** **to the** **Rescue!**



See how at
ALWilson.com/video

YellowGo® removes unwanted dye from fabric.

Results on whites are excellent. On colors, you have nothing more to lose and everything to gain by trying YellowGo. YellowGo may take out color you want to keep. But if it removes the unwanted dye without damaging the underlying color, you win! You won't have to pay for the dye-stained garments and you won't disappoint your customers.

So use YellowGo to keep your customers happy and keep them coming back.



For more information
visit ALWilson.com or call us
at 800-526-1188 or 201-997-3300





RED ALERT!

YellowGo® To the Rescue

If color from one garment transfers to another you're in trouble. Replacing damaged garments can cost you thousands of dollars. . . and your reputation. YellowGo® to the rescue!

Using YellowGo is the best way to recover dye stained garments. Results on white garments are excellent. On colored garments, you have nothing more to lose and everything to gain by trying YellowGo. YellowGo may take out the color you want to keep. But if it removes the unwanted dye without damaging the underlying color, you win! You won't have to pay for the garments and you won't disappoint your customers.

So use YellowGo to keep your customers happy and keep them coming back.

For more information, call 800-526-1188 or 201-997-3300

A. L. WILSON CHEMICAL CO.

Stain Removal Specialties Since 1928

P. O. Box 207, Kearny, NJ 07032

www.ALWilson.com



Wilson stain removers get out the stains that don't come out in the regular wash!

**Laundry TarGo®
removes
these stains
and more**

Pine Tar
Eye Black
Puck Marks
Shoe Polish
Field Paint
Ointments
Chewing Gum
Grass Stains
Ground-In Soil



**YellowGo®
removes
clay stains
and
unwanted
dyes**

Other Stain Removers Available for Other Stains


A. L. Wilson Chemical Co.

Stain Removal Specialties Since 1928

P. O. Box 207, Kearny, NJ 07032

800-526-1188 or 201-997-3300

www.ALWilson.com



Remove More Stains Earn Customer Loyalty Make More Money

Your customers want you to remove their stains. Wilson stain removers deliver faster, more complete stain removal, even on difficult stains lesser products leave behind. And they're safer for fabric and the environment. Use Wilson stain removers to earn repeat business and make more money.



Wilson Products are Worth More

Lower performing products cost less because they're worth less. Rely on Wilson's high-performance, high-value stain removers to deliver more stain-free garments and to earn a spotless reputation.

A. OIL-BASED-STAIN REMOVERS

- **TarGo® Dry** - use with Perc
- **TarGo® EF** - use with Hydrocarbon, GreenEarth, K4 or Perc
- **Laundry TarGo®** - use with Laundry or Wetcleaning

B. SPRAY SPOTTERS

- **EasyGo®** - use with HC, K4 or Perc
- **"G"Go®** - use with GreenEarth, Hydrocarbon, K4 or Perc
- **RiteGo®** - use with Laundry or Wetcleaning
- **SpotsGo®** - use with Perc or Laundry

C. PRIMARY STAIN REMOVERS

1. **InkGo®** - Ink Remover
2. **RustGo®** - Rust Remover
3. **QwikGo®** - Protein Stain Remover
4. **BonGo®** - Beverage/Tannin Remover
5. **SoGo® "1"** - Enzyme-activated Digester

D. SPECIALTY STAIN REMOVERS

1. **YellowGo®** - Dye Remover
2. **PermaGo®** - Residual Stain Remover
3. **DroGo® "B"** - Reducing Bleach & Anti-chlor
4. **DroGo® Kit** - Brightness/Whiteness Restorer
5. **SoGo® Reclamation System** - Linen Re-Wash



Visit **ALWilson.com**
For Expanded
Spotting Advice

800-526-1188 • 201-997-3300
A.L. Wilson Chemical Co. • Kearny, NJ

STAINS	RECOMMENDED PRODUCTS
ADHESIVE	C1 or A
AUTOClave TAPE	C1
BETADINE	D5 or D3 or D2
BEVERAGE STAINS	C4 or C5 or B
BLOOD	C3 or C5
CHLORINE RESIDUE	D3
CHOCOLATE	C3 or C5 or B
CLAY	D1
COFFEE	C4 or C5 or B
COLLAR & CUFF STAINS	B or A
CRAYON	A or C1
CURRY	A or C1
DYE STAINS	D1 or D2
EGG	C3 or C5 or B
EYE BLACK	A
FECES	C3 or C5 or B
FOOD	C3 or C5 or B
FRUIT JUICE	C4 or C5 or B
GRASS STAINS	C5 or A
GREASE	A or B
GROUND-IN SOIL	B or A
ICE CREAM	C3 or C5 or B
INK	C1 or A
IODINE	D3 or D2
KETCHUP	C3 or C5 or B
LIPSTICK	A
LIQUOR	C4 or B
LOTION	A or B
MAKEUP	A or B
MAYONNAISE	A or C3
MILDEW	D5 or D2
MILK	C3 or C5
MOLD	D5 or D2
MUSTARD	A or C1
NAIL POLISH	A or C1
OIL	A or B
OINTMENT	A or B
OPTICAL BRIGHTNESS LOSS	D4
OXIDIZED OIL	A or C1 or D2
PAINT	A
PERSPIRATION	B or A
RED SAUCE	A or C5
RED WINE	C4 or C5 or C1
RESIDUAL STAINS	D1 or D2
RESTORATION	D4
RUST	C2
SALAD DRESSING	A
SALT on PANT CUFFS	B
SHOE POLISH	A
SOY SAUCE	A or C1
STARCH BUILDUP	C5
SUNTAN LOTION	A or B
TANNIN	C4 or C5 or B
TAR	A
TEA	C4 or C5 or B
URINE	C3 or C5
VOMIT	C3 or C5 or B
WATER RINGS	B
WAX	A or C1
WEDDING GOWN RESTORATION	B or A or C5 then D4
WINE	C4 or C5 or C1

Wilson Stain Remover Directions

For product-specific directions and precautions visit ALWilson.com, read the related product label or call A. L. Wilson. Expanded stain removal advice and spotting tips are available from the Stain Wizard at ALWilson.com or by calling the Wilson Hotline at 800-526-1188 or 201-997-3300.

Before using any Wilson product, read the related Material Safety Data Sheet. Always use appropriate Personal Protective Equipment and engineering controls to ensure a safe work environment.

Wilson stain removers are safe for use on most colors and fabrics. On delicate colors or fabrics, test product on a hidden seam before use.

Instructional videos are available at ALWilson.com/video. More videos coming soon.

YellowGo Directions

YellowGo instructional videos are available at ALWilson.com/video.

The hotter you make YellowGo solution, the faster and more effective it becomes. Use hotter solution on white fabric. Use cooler solution on colored fabric to protect original colors.

In a laundry wheel: Rinse load thoroughly. Fill wheel to low level with hot water, and add 1 to 2 oz. of YellowGo for every gallon of water. Run until unwanted dye disappears. Rinse thoroughly.

As a soak: Rinse fabric in warm water. In a clean plastic container, prepare enough solution (1 to 2 oz. YellowGo for every gallon of warm water) to allow free movement of fabric. Soak fabric in YellowGo solution, stirring occasionally, until unwanted dye disappears. Rinse thoroughly with water.

At the spotting board: Prepare solution of 1 part YellowGo to 20 parts cool water in clean spotting bottle. Flush stained area with cool water. Apply YellowGo solution to stained area and let stand until unwanted dye disappears. Rinse thoroughly with water.

Before using YellowGo solution on colored fabric, test on a hidden seam to see if original color is affected. Cooler YellowGo solution will usually remove unwanted dye before affecting original color. If original color is affected, rinse immediately, then soak in dilute solution of ammonia until original color is restored.

When using YellowGo on wool, silk or synthetic fabrics, add enough RustGo to the YellowGo solution to turn it pale green.

Ink Load Directions

Ink load procedures and product recommendations vary based on the cleaning method being used. For example, an ink load in perc calls for one approach, while an ink load in laundry calls for another. For method-specific ink load recommendations, visit the Stain Wizard at ALWilson.com or call the Wilson Hotline at 800-526-1188 or 201-997-3300.

While many Wilson products flush freely in the wheel, ink is usually removed most effectively on the spotting board. InkGo is the first product to turn to for removing ink on the board. Apply directly to stain, work in thoroughly until stain loosens, flush with wet steam, then dry with the air gun if drycleaning. On some inks, adding Laundry TarGo directly to the InkGo on the stain is also very effective. Again, flush well on the spotting board and dry with the air gun if drycleaning.

Not all inks are the same, so even a really good ink remover might work well on one, then not as well on the next. So if you try one Wilson product with limited success, don't hesitate to try another!

SoGo "1" Directions

At the spotting board: In a clean spotting bottle, mix 1 teaspoon of SoGo "1" into 4 oz. of warm water (100 – 120°F). Wet stain thoroughly with this solution, wait at least 15 minutes, then flush with wet steam. If residue remains, use QwikGo to finish the job.

As a soak: In a clean plastic pail, mix 3 gallons of warm water (100 – 120°F) with 1 oz. of SoGo "1". Submerge stained garment and let soak for 30 minutes, stirring occasionally. Flush thoroughly with warm water or rewash when done.

In a laundry wheel: In a top-loading washer, mix warm water (100 – 120°F) with approximately 4 oz. of SoGo "1". Run for 5 minutes, then let soak for 30 minutes. Flush thoroughly with warm water or rewash when done. In a front-loading washer, mix warm water (100 – 120°F) with approximately 8 oz. of SoGo "1" for every 100 pounds of rated machine capacity. Run for 30 minutes. Flush thoroughly with warm water or rewash when done. Call us for alternative wash formulas or see the SoGo Reclamation System Product Overview for linen reclamation instructions.



**Visit ALWilson.com
For Product-Specific
Directions and Precautions**

800-526-1188 • 201-997-3300
A.L. Wilson Chemical Co. • Kearny, NJ

